Project Update



- ► Adding Passengers to Passenger Cars
- **▶** By Rick Hills
- ► April 30, 2020

Maine 3 Railers


Opportunity:

- ► Many of the passenger cars produced today, while they often have molded interiors, interior constant lighting, sounds, and cameras, often lack passengers
- ▶ I've recently found that adding passengers is quick and so easy to do
- ► It can provide that final touch to make your passenger service seem even more realistic




Maine 3 Railers

- 1. Remove the passenger car shell from the frame
 - ▶ Usually 4 screws, two front and two rear
 - ► Unplug the shell lighting harness plug from the frame and truck collector
 - ► Put the shell in a very safe place away from soldering equipment and glues!







Maine 3 Railers

2. Carefully plan where you want the passengers

- ▶ I always use 1:50 size SITTING PAINTED passengers. These are available from my favorite train store, *Trains on Tracks*, or Amazon and eBay
- ▶ Look at the molded seats structure within the car
 - ▶ All cars are different. Note there are bathrooms too. You might even want to paint the seats first.
- ▶ Position your passengers where you would like them. I suggest a minimum of 12 passengers per 21" car. And you might need to cut their legs off, depending on location.
 - ▶ Tip: think what the passengers are really doing. I often have one talking to another and therefore bending toward the other person. Don't forget the conductor!
 - ▶ Note: Make sure you follow the six-foot rule
- ► Get your glue out and uncap it
 - ▶ I use Superglue CA and Accelerant spray available at the Hardware store.
 - ▶ Note there are other fastening methods including tacky adhesives, but I want an immediate, permanent bond so I use CA.





Accelerant

3. Position the passengers

- ► I use a very simple approach here:
 - ► Spray accelerator on the targeted seat
 - ▶ Put a dab of glue on the bottom of the intended passenger
 - ▶ Position the passenger on the seat, hold 5 seconds to make contact
 - ► Repeat with next passenger....



- 4. Reassemble the car
- ► Connect the passenger car shell to the frame
 - ▶ Plug the shell lighting harness plug from the frame and truck collector
 - ▶ Insert and tighten 4 screws, two front and two rear

5. Test the car

- Put the car on the track and power up
 - ► Are the lights on and passengers glued tightly?
 - ▶ Do you have enough passengers?
 - Couplers working ok?
- ► Elapsed time is about 30 minutes per car

The Results:











https://www.bing.com/videos/search?q=ericstrains+passengers&docid=608004658202872097&mid=A0F670650D24E1F4594CA0F670650D24E1F4594CA0F670650D24E1F4594C&view=detail&FORM=VIRE